


**AMENDMENTS TO THE CLAIMS**

1. (currently amended) An optically active rare earth complex represented by a general formula (1):




(in the formula (1), X<sub>1</sub> and X<sub>2</sub> each independently represents a hydrogen atom, a halogen atom, an alkyl group having 1 to 4 carbon atoms or alkoxy group having 1 to 4 carbon atoms; Y<sub>1</sub>, Y<sub>2</sub>, Y<sub>3</sub>, and Y<sub>4</sub>, each independently represents a hydrogen atom, a halogen atom, or an alkyl group having 1 to 4 carbon atoms; R<sub>1</sub> represents an alkyl group having 1 to 8 carbon atoms, a fluorine-substituted alkyl group having 1 to 8 carbon atoms, or a phenyl group; and R<sub>2</sub> is a group selected from the group consisting of;

- (a) a cyclopentadienyl group (one CH<sub>2</sub> group existing in the cyclopentadienyl group may be replaced by -O-)
- (b) a phenyl group (one or two CH groups existing in the phenyl group may be replaced by N), and
- (c) a naphthyl group (one or two CH groups existing in the naphthyl group may be replaced by N), and

the groups included in (a), (b), and (c) may be substituted with a halogen atom; and Ln represents a rare earth metal atom (Yb).

2. (original) The optically active rare earth complex according to claim 1, wherein X<sub>1</sub> and X<sub>2</sub> in the general formula (1) are hydrogen atoms.

3. (original) The optically active rare earth complex according to claim 1, wherein  $Y_1$ ,  $Y_2$ ,  $Y_3$ , and  $Y_4$  in the general formula (1) are hydrogen atoms.
4. (canceled)
5. (original) The optically active rare earth complex according to claim 1, wherein  $R_1$  in the general formula (1) is a trifluoromethyl group.
6. (canceled)
7. (original) The optically active rare earth complex according to claim 1, wherein an optical purity of the compound represented by the general formula (1) is 70%ee or more.
8. (original) The optically active rare earth complex according to claim 1, wherein an optical purity of the compound represented by the general formula (1) is 90%ee or more.
9. (Previously Presented) An optically active rare earth complex represented by a general formula (1):



(in the formula (1),  $X_1$  and  $X_2$  each independently represents a hydrogen atom, a halogen atom, an alkyl group having 1 to 4 carbon atoms or alkoxy group having 1 to 4 carbon atoms;  $Y_1$ ,  $Y_2$ ,  $Y_3$ , and  $Y_4$ , each independently represents a hydrogen atom, a halogen atom, or an alkyl group

having 1 to 4 carbon atoms; R<sub>1</sub> represents an alkyl group having 1 to 8 carbon atoms, a fluorine-substituted alkyl group having 1 to 8 carbon atoms, or a phenyl group; and R<sub>2</sub> is a group selected from the group consisting of;

(a) a cyclopentadienyl group (one CH<sub>2</sub> group existing in the cyclopentadienyl group may be replaced by -O- or -S-),

(b) a phenyl group (one or two CH groups existing in the phenyl group may be replaced by N),  
and

(c) a naphthyl group (one or two CH groups existing in the naphthyl group may be replaced by N), and

the groups included in (a), (b), and (c) may be substituted with an alkyl group or a halogen atom; and Ln represents Yb).